	© Co	terial Compo pyright 2005. IPC, Bannocl Iternational and Pan-Americ	kburn, Illinois	All rights reserv	tion with lower	level pa	arts, the	declaratior	n encor	mpasses a	all lower l	level materi	ials for	which t	e item is an assembly he manufacturer has declaration.	
		Neb Site for Informat		-1752 Standa	Ird		Form Type * Declaration Class * Distribute Class 6 - RoHS Yes/No, Homogen						neous Materials and Mfg Informat			
Supplier Information																
Company Name *		Company Unique ID		Unique ID Au	uthority	Response Date *				Response Document ID						
SEMTECH CORPORATION 00-847-9941				DUNS	JNS			2014-02-18								
Contact Name * Roya Motamedi		Title - Contact QA Customer Service		Phone - Con 805-389-274	Email - Contact * rmotamedi@semtech.com			om	Duplicate Contact -> Authorized Representative							
Authorized Representativ Roya Motamedi	Title - Representative QA Customer Servic		Phone - Rep 805-389-274	Email - Representative * rmotamedi@semtech.com				Supplier (Commen	its or URL f	for Add	litional I	nformation			
Requester Item Number		Mfr Item Number		Mfr Item Name	Effective	e Date	Version Manu		nufacturing Site		Neight *	UC	M	Unit Type		
		SC196ULTRT		1.5A Synchro	nous Buck Conve	r		Malay		/sia		6.43	mg		Each	
Alternate Recommenda	Alternate Recommendation							Alternate Item Co		omments						
Manufacturing Proces	s In	formation									1					
Terminal Plating / Grid Array	Materi	al	Terminal Ba	ase Alloy	J-STD-020 MSL Ra	ting F	Peak Proc	ess Body	Temper	rature Max	Time at I	Peak Tempe	erature	Number	of Reflow Cycles	
Nickel/Palladium/Gold (Ni/Pd/Au) CU Alloy				260			2 60 C	;		30 sec	onds	3				
SC196ULTRT is REACH-	comp	oliant product, per E	U Regula	tion EC1907/	2006 to include re	ecent a	ddition o	of SVHC	candic	date list o	f substa	ances in De	ecemb	er 12, 2	2013.	

Save the fields in this form to a file	Evport Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent chan	Look Cupplier Fields						
RoHS Materia	RoHS Material Composition Declaration Declaration Type * Detailed												
		ty limit of 0.1% by mass (100 Ethers (PBDE) and quantity					ominated Biphenyls (PBB),						
chromium, polybromina excess of an applicable gathered the information Company will rely on thi completing this form, ar certifications regarding conditions of that agree	ted biphenyls and/or polybrominate quantity limit, please indicate below it provides in this form using app s certification in determining the co d that Supplier may not have inde heir contributions to the part, and ment, including any warranty rights	ompliance of its products with European pendently verified such information. Ho those certifications are at least as comp	ricted substance?) in excess believe may apply. If the p y and that such information n Union member state laws owever, in situations where prehensive as the certificati hat agreement, will be the s	ss of the applicable quantity lim part is an assembly with lower I is true and correct to the best of that implement the RoHS Dire Supplier has not independently ion in this paragraph. If the Co sole and exclusive source of the	it identified above. If a homoge evel components, the declaration of its knowledge and belief, as of ctive. Company acknowledges y verified information provided lo popany and the Supplier enter is a Supplier?s liability and the Co	eneous material within the part cor on shall encompass all such comp of the date that Supplier complete: s that Supplier may have relied on by others, Supplier agrees that, at into a written agreement with resp impany?s remedies for issues that	ntains a RoHS restricted substance in ponents. Supplier certifies that it s this form. Supplier acknowledges that information provided by others in a minimum, its suppliers have provided						
RoHS Declaration	n * 1 - Item(s) does not conta	ain RoHS restricted substances per the	he definition above			Supplier Acceptance *	Accepted						
	e declared item does not co all applicable exemptions.	ntain RoHS restricted substanc	es per the definition a	above except for defined	RoHS exemptions, then	select the corresponding re	esponse in the RoHS Declaration						
Declaration S	ignature												
In a family of the second	ward a factor and the factor of the second s	al Calaba and all manages of the last		a second se		and the second s	terrestring and - Distingthe stars						

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

		Item/SubItem		Homogeneous	Weight	Unit of			Level	Substance Category			Substance	CAS	Exempt	Weight	Unit of	Tolerance		PPM
		Name		Material	weight	Measure			Level	Substance Category			Substance		Lvempt	weight	Measure	-	+	
+I	-1	Leadframe	+M -M	C7025 With Ag p		mg	+C	-C	Supplier		+S	-S	Copper	7440-50-8		5.74	mg			349,66
							+C	-C	в	Nickel (external applic	+S	-s	Nickel	7440-02-0		0.14	mg			8,298.4
							+C	-C	Supplier		+S	-S	Silicon	7440-21-3		0.0311	mg			1,892.6
							+C	-C	Supplier		+S	-S	Magnesium	7439-95-4		0.00078	mg			473.16
							+C	-C	Supplier		+S	-S	Ag	7440-22-4		0.0598	mg			3,639.6
+I	-1	Die	+M -M	Silicon Chip	1.1	mg	+C	-C	Supplier		+S	-S	Si	7440-21-3		1.1	mg			66,950
+I	-1	Die attach material	+M -M	2600BT conduct	0.45	mg	+C	-C	Supplier		+S	-S	Ag	7440-22-4		0.32	mg			19,172
							-				+S	-s	mixture of resin	Proprietary		0.03	mg			1,917.2
											+S	-s	Hot melt adhesive	Proprietary		0.01	mg			821.67
											+S	-s	n-Paraffinic hydrocarbo	Proprietary		0.09	mg			5,477.7
+I	-1	Wire	+M -M	Gold	0.12	mg	+C	-C	Supplier		+S	-S	Au	7440-57-4		0.12	mg			7,303.7
+I	-1	Lead finish	+M -M	Tin alloy	0.45	mg	+C	-C	Supplier		+S	-S	Sn	7440-31-5		0.45	mg			27,388
+I	-1	Encapsulation	+M -M	EME-G770HC ep	8.33	mg	+C	-C	Supplier		+S	-S	Silica fused	60676-86-0		7.81	mg			475,05
											+S	-s	Epoxy resin	Proprietary		0.25	mg			15,209
											+S	-s	Phenol resin	Proprietary		0.25	mg			15,209
											+S	-s	Carbon black	1333-86-4		0.02	mg			1,521