	© Cop	terial Compo pyright 2005. IPC, Bannock Iternational and Pan-Americ	kburn, Illinois	. All rights reserve	tion with lower	level p	arts, the	declaratio	n encor	mpasses all	lower leve		r which	ne item is an assembly the manufacturer has declaration.
1/32-2 1.1		Neb Site for Informati	rd	Form Type * Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa							
Supplier Information														
Company Name * Company Unique ID				Unique ID Au	Response Date *			Response Document			ID			
SEMTECH CORPORATION		00-847-9941		DUNS	2013-06-07									
Contact Name * Karen Pimental		Title - Contact QA Customer/Document Contro				Email - Contact * kpimental@semtech.c			om	Duplicate Contact -> Authorized Representative				
Authorized Representativ Karen Pimental	Title - Representative QA Customer/Docum		Phone - Rep 6805-498-211	Email - Representative * kpimental@semtech.com				Supplier C	omments o	r URL for Ac	ditional	Information		
Requester Item Number		Mfr Item Number		Mfr Item Name	Effective	e Date	Version	Manufa	acturing Site	Weig	jht * ∪	ОМ	Unit Type	
	SC4215HSETRT			Very Low Input / Very Low Drop			Phil			ppines 78		m	g	Each
Alternate Recommenda	nate Recommendation				Alternate Item			Item Co	omments			-		
Manufacturing Proces	s Inf	formation												
Terminal Plating / Grid Array I	Materia	al	Terminal Ba	ase Alloy	J-STD-020 MSL Ra	ting	Peak Proc	ess Body	Temper	ature Max	Time at Peal	k Temperature	Numbe	of Reflow Cycles
Matte Tin (Sn) CU Alloy Comments			,	1		260 (;	3	30 seconds	3		
SC4215HSETRT is a REA	ACH-c	compliant product, p	oer EU Re	gulation EC1	907/2006 to inclu	ide the	most ree	cent add	itions t	to the SVF	IC candida	te list of su	ostance	s. Ck KP

Save the fields in this form to a file	Export Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent chan	Look Cumption Fields				
RoHS Material Composition Declaration Declaration Type * Detailed											
		limit of 0.1% by mass (100 thers (PBDE) and quantity	, .				ominated Biphenyls (PBB),				
chromium, polybrominate excess of an applicable of gathered the information Company will rely on this completing this form, and certifications regarding the conditions of that agreen	ed biphenyls and/or polybrominated quantity limit, please indicate below it provides in this form using approp certification in determining the com I that Supplier may not have independent rein contributions to the part, and the nent, including any warranty rights a	which, if any, RoHS exemption you b priate methods to ensure its accuracy apliance of its products with European andently verified such information. Ho pose certifications are at least as comp	icted substance") in excess believe may apply. If the p y and that such information n Union member state laws bowever, in situations where prehensive as the certification that agreement, will be the s	of the applicable quantity limit bart is an assembly with lower I is true and correct to the best of that implement the RoHS Dire Supplier has not independentl on in this paragraph. If the Co ole and exclusive source of the	identified above. If a homogene- evel components, the declaration of its knowledge and belief, as of ctive. Company acknowledges to y verified information provided by mpany and the Supplier enter into a Supplier's liability and the Comp	eous material within the part cont n shall encompass all such comp f the date that Supplier complete that Supplier may have relied on y others, Supplier agrees that, at to a written agreement with response upany's remedies for issues that a	tains a RoHS restricted substance in ponents. Supplier certifies that it s this form. Supplier acknowledges that				
RoHS Declaration	n * 1 - Item(s) does not contain	RoHS restricted substances per th	he definition above			Supplier Acceptance *	Accepted				
	declared item does not cont Il applicable exemptions.	ain RoHS restricted substanc	es per the definition a	bove except for defined	RoHS exemptions, then s	select the corresponding re	esponse in the RoHS Declaration				
Declaration Si	gnature										
		C 1 1 11 C (1 1)			· • • • • •	T 1: 10 11 1 4	D' i ll i				

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of		Level	Substance Category			Substance	CAS	Exempt	Weight	Unit of	Tolerance		PPM
	Name		Material	Weight	Measure			oubstance oategory			oubstance		Evenibi	Weight	Measure	-	+	
+ -	SILICON CHIP	+M -M	Silicon Die	3.25	mg	+C -C	Supplier		+S	-S	Silicon (Si)	7440-21-3		3.25	mg			41,849
+I -I	LEAD FRAME, SOIC	+M -M	CDA194	9.44	mg	+C -C	Supplier		+S	Ş	Copper (Cu)	7440-50-8		9.204	mg			118,51
									+S	-s	Iron (Fe)	7439-89-6		0.22184	mg			2,856.5
									+S	-s	Zinc (Zn)	7440-66-6		0.011328	mg			145.87
									+S	-s	Phosphorous (P)	7723-14-0		0.002832	mg			36.47
+I -I	DIE ATTACH MATE	+M -M	2600AT	1.73	mg	+C -C	Supplier		+S	-S	Silver (Ag)	7440-22-4		1.38	mg			17,821
									+S	-s	Epoxy Resin	Proprietary		0.13	mg			1,670.7
									+S	-s	n-paraffinic HydroCarbo	Proprietary		0.13	mg			1,670.7
									+S	-s	Hot melt adhesive	Proprietary		0.087	mg			1,113.8
+I -I	WIRE BONDING	+M -M	Gold Wire	8.09	mg	+C -C	Supplier		+S	-S	Gold (Au)	7440-57-5		8.09	mg			104,16
+I -I	MOLDING COMPOL	+M -M	EME-G600	46.71	mg	+C -C	Supplier		+S	-S	Silica Fused	606076-86-0		41	mg			526,28
									+S	-s	Epoxy Resin	129915-35-1		2.3	mg			30,073
									+S	-s	Epoxy, Cresol Novolac	29690-82-2		0.934	mg			12,029
									+S	-s	Phenol Resin	9003-35-4		2.34	mg			30,073
									+S	-s	Carbon Black	1333-86-4		0.23	mg			30,073
+I -I	PLATING - TIN	+M -M	Tin (Sn)	8.4	mg	+C -C	Supplier		+S	-S	Tin (Sn)	7440-31-5		8.4	mg			108,67