	© Co	terial Compo pyright 2005. IPC, Bannoc nternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lower	level p	oarts, the	declaratic	on encor	mpasses all		aterials for	which t	e item is an assembly he manufacturer has declaration.		
1/32-2 1.1		Web Site for Informat		-1752 Standa	rd					eclaration Class * ass 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa						
Supplier Information																
Company Name *		Company Unique ID		Unique ID Authority			Response Date *			Response Document ID						
SEMTECH CORPORATION 00-847-9941				DUNS	JNS 2											
Contact Name * Roya Motamedi		Title - Contact Supervisor, QA Prod	uct Suppo	Phone - Con 805-498-211	Email - Contact * rmotamedi@semtech.com			com	Duplicate Contact -> Authorized Representative							
Authorized Representati Roya Motamedi		Title - Representative Supervisor, QA Proc		-	resentative * 1		- Represe medi@se			Supplier Co	mments or UI	RL for Ad	ditional I	nformation		
Requester Item Number	•	Mfr Item Number		Mfr Item Name	Effectiv	ve Date	Version Manufa		acturing Site	Weight *	U	DM	Unit Type			
		STF203-33.TCT		USB Upstrea	SB Upstream Port Filter and T			China			6.411	m	9	Each		
Alternate Recommenda	Alternate Recommendation							Alternate Item C				•				
Manufacturing Proces	s In	formation														
Terminal Plating / Grid Array I	Materi	al	Terminal Ba	ase Alloy	J-STD-020 MSL Ra	ating	Peak Proc	ess Body	Temper	ature Max T	me at Peak Te	mperature	Number	of Reflow Cycles		
Matte Tin (Sn) Alloy 42 Comments					260 (;	30	seconds	3					
STF203-33.TCT is a REA	CH-c	ompliant product, p	er EU Reg	Julation EC19	07/2006 to inclu	de rece	ent additi	on of S\	/HC ca	ndidate list	of substance	es in Jun	e 2016/			

Save the fields in this form to a file	Export Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent chan	Look Cumption Fields
RoHS Material	Composition Declara	tion				Declaration Type	* Detailed
		limit of 0.1% by mass (100 thers (PBDE) and quantity	, .				ominated Biphenyls (PBB),
chromium, polybrominate excess of an applicable of gathered the information Company will rely on this completing this form, and certifications regarding the conditions of that agreen	ed biphenyls and/or polybrominated quantity limit, please indicate below it provides in this form using approp certification in determining the com I that Supplier may not have independent rein contributions to the part, and the nent, including any warranty rights a	which, if any, RoHS exemption you b priate methods to ensure its accuracy apliance of its products with European andently verified such information. Ho pose certifications are at least as comp	icted substance") in excess believe may apply. If the p y and that such information n Union member state laws bowever, in situations where prehensive as the certification that agreement, will be the s	of the applicable quantity limit bart is an assembly with lower I is true and correct to the best of that implement the RoHS Dire Supplier has not independentl on in this paragraph. If the Co ole and exclusive source of the	identified above. If a homogene- evel components, the declaration of its knowledge and belief, as of ctive. Company acknowledges to y verified information provided by mpany and the Supplier enter into a Supplier's liability and the Comp	eous material within the part cont n shall encompass all such comp f the date that Supplier complete that Supplier may have relied on y others, Supplier agrees that, at to a written agreement with response upany's remedies for issues that a	tains a RoHS restricted substance in ponents. Supplier certifies that it s this form. Supplier acknowledges that
RoHS Declaration	n * 1 - Item(s) does not contain	RoHS restricted substances per th	he definition above			Supplier Acceptance *	Accepted
	declared item does not cont Il applicable exemptions.	ain RoHS restricted substanc	es per the definition a	bove except for defined	RoHS exemptions, then s	select the corresponding re	esponse in the RoHS Declaration
Declaration Si	gnature						
		C 1 1 11 C (1 1)			· • • • • •	T 1: 10 11 1 4	D' i ll i

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

Item/SubItem				Homogeneous	Weight	Unit of		Level	Substance Category			Substance	CAS	Exempt	Weight	Unit of	Tolerance		PPM	
		Name			Material	weight	Measure		Level	Substance Subgery			Substance		Exempt	Weight	Measure	-	+	
+1	·I		+M	-М	Si, Doped	0.2151	mg	+C -C	Supplier		+S	-S	Silicon (Si)	7440-21-3		0.2151	mg			33,561
+I ·	·I	LEAD FRAME	+M	-м	Alloy 42	1.9641	mg	+C -C	Supplier		+S	-S	Iron (Fe)	7439-89-6		1.1323	mg			176,62
			-					+C -C	в	Nickel (external applic	+S	-s	Nickel	7440-02-0		0.8053	mg			125,61
								+C -C	Supplier		+S	-S	Manganese (Mn)	7439-96-5		0.0118	mg			1,838
										•	+S	-s	Cr(not Cr 6+)	7440-47-3		0.002	mg			306
											+S	-s	Cobalt (Co)	7440-48-4		0.0098	mg			1,532
											+S	-s	Silicon (Si)	7440-21-3		0.0029	mg			460
			+M	-м	Die Attached Pa	D.0606	mg	+C -C	Supplier		+S	-s	Silver (Ag)	7440-22-4		0.0606	mg			9,461
+1 ·	-I	BONDING WIRE	+M	-м	Gold Wire	0.0493	mg	+C -C	Supplier		+S	-s	Gold (Au)	7440-57-5		0.0493	mg			7,693
+1 ·	·I		+M	-м	CEL-1701HF9	3.7249	mg	+C -C	Supplier		+S	-s	Silica Fused (SiO2)	60676-86-0		3.2518	mg			507,25
			,								+S	-s	Epoxy Resin	29690-82-2		0.1862	mg			29,053
											+S	-s	Phenol Resin	26834-02-6		0.1862	mg			29,053
											+S	-s	Aromatic PolyPhosphat	Proprietary		0.0931	mg			14,526
											+S	-s	Carbon Black	1333-86-4		0.0074	mg			1,162
+I ·	·I -	Γin solder	+M	-м	Pure Tin	0.3965	mg	+C -C	Supplier		+S	-s	Sn	7440-31-5		0.3965	mg			61,857